

Mahindra MINIVAT&R



KEY FEATURES



Excellent pulverisation, soil conditioning, weed control



Loosen and aerate the soil upto 4 inches of depth



Perfect choice for seedbed preparation and puddling in small fields



Ideal for fruit and vegetable cultivation, small farms, orchards, nurseries



Sturdy Design

Strong and sturdy design for hassle-free performance and better durability



Optimal Blade Arrangement

The helical arrangement of blades reduces tractor load and makes the tillage fast and economical. Sealed bearings prevent moisture/mud entry



Single-speed Gearbox

Straightforward drive, efficient for small fields



Overload Protection

Heavy-duty PTO shaft with shear bolt for overload protection

KEY FEATURES



Balanced Rotor Shaft

Specially designed uniformly balanced rotor shaft reduces tractor load, helps consume less fuel, and avoids tyre slippage



Fine Aesthetics

Intriguing aesthetics with superior fit and finish quality

TECHNICAL SPECIFICATIONS

Parameters	Minivator			
Tractor hp (kW)	24/27/30 (18	24/27/30 (18/20/22)		
Overall Length, mm	1243	1243		
Working Width, mm	1021	971		
Number of Flanges	6	-		
Number of blades per flange	4	-		
Number of pockets	-	38		
Number of Blades	24	38		
Blade Type	L/C	J		
Weight, kg	189	184		
Working Depth, mm	65	80		
Gear Box	Single Speed	Single Speed		
Side Transmission	Gear Drive	Gear Drive		
Rotor Speed @ 540 PTO, rpm	221	221		

 $^{{}^{\}star}\text{Technical Specifications can be changed without any prior notice due to continuous improvement in product.}$

Address

Mahindra & Mahindra Ltd. Farm Equipment Sector, Farm Division AFS Headquarters, Mahindra Tower, 1st Floor, Akurli Road, Kandivali (E), Mumbai-400101, India

Dealer's / Distributor's stamp)
	_