

mahindra *Rise*

Mahindra Airotec Turbo 1500L



KEY FEATURES

- High air output with perfect air balancing at both side with lowest power consumption
- Stainless steel shell assembly
- Manual Controller: 5-mode controller & 2-way nozzles provide accurate delivery of chemicals
- Safety Devices: Innova rubber coupling & pressure relief valve
- Tank: HDPE - High Density Polyethylene
- Agitator: For proper agitation of chemical at the time of spraying
- Tyre Position Adjustment: Track width, height, tyre position forward & reverse
- Scrapper: For removing mud from tyre

Benefits

- **Uniform Coverage**
- **Best Crop Protection**
- **Proven Chemical Saving**
- **Proven Labor Saving**
- **Doorstep Service**

TECHNICAL SPECIFICATIONS

| Model | Airotec Turbo 1500L |
|-------------------------------------------------------------|---------------------|
| Length (mm) | 3780 |
| Width (mm) | 1590 |
| Height (mm) | 1490 |
| Ground clearance from lowest position (Axel Tube Stud) (mm) | 190 |
| Machine Empty Weight (Kg) | 675 |
| Fan Size (mm) | 712 |
| Diaphragm Pump (LPM) | 75 |
| Number of Nozzle | 14 |
| OM Kit (4 Handgun) | Yes |
| Main Tank Capacity | 1500 |
| Rinsing Tank Capacity | 115 |

| Model | | Airotec Turbo 1500L |
|-----------------------------------------------------------------------------------|-------|---------------------|
| Handwash Tank | | 3780 |
| Air Velocity | m/sec | 38 |
| | KMPH | 137 |
| Vertical spray reach without high ambient wind (3-4 m/sec) | feet | 24 |
| | metre | 8 |
| Horizontal spray reach without high ambient wind on left & right side (3-4 m/sec) | feet | 12 |
| | metre | 4 |

Applicable for

- **Pomegranate**
- **Orange**
- **Mango**
- **Guava**
- **Custard Apple etc.**



Address

Mahindra & Mahindra Ltd. Farm Equipment Sector,
Farm Division AFS Headquarters, Mahindra Tower,
1st Floor, Akurli Road, Kandivali (E), Mumbai-400101,
India

Dealer's / Distributor's stamp

| |
|--|
| |
|--|